

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	msi and ("command-line" or cmdline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 08:46
L2	84	msi and ("command-line" or cmdline or "command line")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:01
L3	12	registry same install\$5 same (switch or switches) same commands	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:03
L4	1	registry same (configuration near3 environment) same (switch or switches or commands)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:04
L5	11	registry same (configuration near3 environment) same (components)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:07
L6	2712	(Installshield or msi or install) same ("command-line" or "command line" or cmdline or parameter or argument)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:08
L7	2032	(Installshield or msi or install) near5 ("command-line" or "command line" or cmdline or parameter or argument or switch or switches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:10
L8	15	(Installshield or msi or install) near5 ("command-line" or "command line" or cmdline or parameter or argument or switch or switches) same registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:09
L9	1414	(Installshield or msi or install) near3 ("command-line" or "command line" or cmdline or parameter or argument or switch or switches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:15

L10	970	(Installshield or msi or install) near2 ("command-line" or "command line" or cmdline or parameter or argument or switch or switches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:11
L11	12	(Installshield or msi or install) near2 ("command-line" or "command line" or cmdline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:11
L12	4	("6405362").URPN.	USPAT	OR	OFF	2006/02/07 10:12
L13	57	(Installshield or msi or install) near3 ("command-line" or "command line" or cmdline or parameter or argument or switch or switches) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:16
S1	4	"6327707".pn. or "6260140".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:12
S2	5755	command adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:19
S3	857	(command adj line) and utility and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:54
S4	31	(system adj registry) and ((command adj line) and utility and output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:36
S5	96	(command adj line).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:43
S6	23	(command adj line).ti. and (output or result\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:43
S7	10	(command adj line).ti. and (output or result\$1) and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:44

S8	71	((command adj line) and utility and output) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 13:54
S9	71	((command adj line) and utility and output) and 717/???.ccls. and (output or result\$1 or "return value")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:25
S10	4	((command adj line) and utility and output) and 717/???.ccls. and (output or result\$1 or "return value")) and (system adj registry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:08
S11	4603	(command adj line) and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:09
S12	0	((command adj line) and stor\$3) and "dynamic link\$2 library"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:10
S13	204	((command adj line) and stor\$3) and (link\$2 adj library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:10
S14	95	((command adj line) and stor\$3) and (link\$2 adj library)) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:12
S15	80	((command adj line) and stor\$3) and (link\$2 adj library)) and registry) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:13
S16	55	((command adj line) and stor\$3) and (link\$2 adj library)) and registry) and output) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:13
S17	45	((command adj line) and stor\$3) and (link\$2 adj library)) and registry) and output) and identifier) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:14

S18	17	(((((command adj line) and stor\$3) and (link\$2 adj library)) and registry) and output) and identifier) and key) and (shared same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 14:14
S19	124	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 15:21
S20	6	717/143.ccls. and store same ((system adj registry) or (shared adj memory) or (link adj library) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 15:06
S21	17	717/143.ccls. and (store same (output or results))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 15:12
S22	113	717/143.ccls. and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 16:19
S23	651	utility and redirection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 16:19
S24	38	(utility and redirection) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 16:44
S25	629	shell near3 program\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 16:47
S26	174	(shell near3 program\$3) and utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 16:47
S27	14	((shell near3 program\$3) and utility) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 17:08

S28	6	((shell near3 program\$3) and utility) and link adj library	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/12 17:11
S29	126	("5933829" "6038567" "6108656" "6205123" "5237652" "4271468" "4533994" "4835521" "4845667" "5455898" "5838249" "5956349" "5963339" "6141349" "6145019" "6014424" "6185281" "4595980" "4475481" "4621330" "5535267" "5721948" "5903847" "6032172" "6148323" "6259367" "6336149" "5535113" "4251736" "4264960" "4315251" "4347575" "4348668" "4396915" "4404472" "4419667" "4419666" "4419665" "4841281" "4940929" "4954726" "5471119" "5609220" "5656923" "5699873" "5732059" "6091515" "6128204" "6160743" "6278455").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/13 11:21
S30	107	((("5933829" "6038567" "6108656" "6205123" "5237652" "4271468" "4533994" "4835521" "4845667" "5455898" "5838249" "5956349" "5963339" "6141349" "6145019" "6014424" "6185281" "4595980" "4475481" "4621330" "5535267" "5721948" "5903847" "6032172" "6148323" "6259367" "6336149" "5535113" "4251736" "4264960" "4315251" "4347575" "4348668" "4396915" "4404472" "4419667" "4419666" "4419665" "4841281" "4940929" "4954726" "5471119" "5609220" "5656923" "5699873" "5732059" "6091515" "6128204" "6160743" "6278455").pn.) and ((command adj line) or input or output or identifier or utility or stor\$3 or registry or (root adj key) or (sub-key) or (sub adj key) or Windows or (shared near3 memory) or ("dynamic link library") or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/13 11:28
S31	1081	utility and registry and input and ((command adj line) or output or identifier or stor\$3 or (root adj key) or (sub-key) or (sub adj key) or Windows or (shared near3 memory) or ("dynamic link library") or dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/13 12:38

S32	46	utility and registry and input and dll and (command adj line) and (output or identifier or stor\$3 or (root adj key) or (sub-key) or (sub adj key) or Windows or (shared near3 memory) or ("dynamic link library"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/13 12:39
S33	39	utility and registry and input and dll and key and windows and (command adj line) and (output or identifier or stor\$3 or (root adj key) or (sub-key) or (sub adj key) or (shared near3 memory) or ("dynamic link library"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/13 12:40
S34	73	("6292379" "5655152" "4445176" "4829294" "4833663" "4853612" "4910533" "5021777" "5210743" "5247665" "5271010" "5327569" "5418917" "5432912" "5440688" "5450078" "5457688" "5489829" "5526495" "5528284" "5574720" "5584039" "5615371" "5617518" "5620202").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:10
S35	6	("6292379" "5655152" "4445176" "4829294" "4833663" "4853612" "4910533" "5021777" "5210743" "5247665" "5271010" "5327569" "5418917" "5432912" "5440688" "5450078" "5457688" "5489829" "5526495" "5528284" "5574720" "5584039" "5615371" "5617518" "5620202").pn. and ((clipboard) or (clip board) or (clip-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:15
S36	2	("6292379" "5655152" "4445176" "4829294" "4833663" "4853612" "4910533" "5021777" "5210743" "5247665" "5271010" "5327569" "5418917" "5432912" "5440688" "5450078" "5457688" "5489829" "5526495" "5528284" "5574720" "5584039" "5615371" "5617518" "5620202").pn. and (cut or paste)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:17
S37	793	windows and (cut near3 paste)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:18
S38	40	windows and (cut near3 paste) and registry and key and utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:22

S39	28	windows and (cut near3 paste) and registry and key and utility and volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:29
S40	3	"5862379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:34
S41	2	"6093215".pn. and (volatile or windows or clipboard or clip-board or cut or copy or key or root or (sub near3 key) or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:38
S42	144	717/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:40
S43	135	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:39
S44	2	717/162.ccls. and windows and registry and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:40
S45	26	717/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:44
S46	0	717/114.ccls. and windows and registry and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:44
S47	35	717/115.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 08:44
S48	8	"6338082".pn. or "6226692".pn. or "5917730".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 11:21

S49	4	("6338082".pn. or "6226692".pn. or "5917730".pn.) and (registry or command or stor\$3 or key or root or sub or identifier or shared or clipboard or output or utility or volatile or unique or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 11:40
S50	4	("6330653".pn. or "5930801".pn.) and (registry or command or stor\$3 or key or root or sub or identifier or shared or clipboard or output or utility or volatile or unique or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/14 11:41
S51	177428	output and line and stor\$3 same (position or identifier or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 07:28
S52	9589	(output and line and stor\$3 same (position or identifier or number)) and (database or file) and (line near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/15 07:07
S53	855	(output and line and stor\$3 same (position or identifier or number)) and unique same (line near2 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/15 07:08
S54	90	((output and line and stor\$3 same (position or identifier or number)) and unique same (line near2 output)) and utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/15 07:08
S55	1738	(output or result) near3 file and line same (position or identifier or number) and unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 08:33
S56	102	((output or result) near3 file and line same (position or identifier or number) and unique) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 07:47
S57	100	((output or result) near3 file and line same (position or identifier or number) and unique) and 717/???. ccls. and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 07:57
S58	23	((output or result) near3 file and line same (position or identifier or number) and unique) and 717/???. ccls. and stor\$3 and (line adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 07:58

S59	214	((output or result or target) near3 file and format and line adj (position or identifier or number) and unique) and line adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 08:44
S60	2	((output or result or target) near3 file and format and line adj (position or identifier or number) and unique) and line adj number and line adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 08:44
S61	30	((output or result or target) near3 file and format and line adj (position or identifier or number) and unique) and line adj number and position and (total near6 lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 08:46
S62	245	(output or result or target) near3 file and format and line adj (position or identifier or number) and unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/15 08:54
S63	133	(command adj line) adj (utility or utilities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 17:13
S64	0	(command adj line) adj (utility or utilities) same (receiv\$3 adj output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:35
S65	10	(command adj line) adj (utility or utilities) same (output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:35
S66	26	(command adj line) adj (utility or utilities) same (result or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:42
S67	8	(command adj line) adj (utility or utilities) same (result or output) same (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:37
S68	21	(command) adj (utility or utilities) same (result or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:45

S69	54	(command) adj (utility or utilities) same (buffer\$3 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:13
S70	15	("4677546" "5282274" "5546557" "5574878" "5592669" "5638521" "5659614" "5675769" "5680303" "5706472" "5721858" "5758165" "5842226" "5887164" "5907672"):PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 17:10
S71	40	(utility or utilities) same (system adj registry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 17:42
S72	1	S63 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 17:14
S73	117	(utility or utilities or services) same (system adj registry) and (input or output or in-put or out-put or result or (text near2 in3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:44
S74	95	(utility or utilities or services) same (system adj registry) and (input or output or in-put or out-put or result or (text near2 in3)) and (id or identifier or label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:44
S75	58	(utility or utilities or services) same (system adj registry) and (input or output or in-put or out-put or result or (text near2 in3)) same (id or identifier or label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:45

S76	33	("4935888" "5189608" "5353401" "5367573" "5454046" "5481718" "5500802" "5517645" "5519868" "5537630" "5560014" "5603021" "5692047" "5706455" "5710920" "5710926" "5715441" "5724589" "5729748" "5754858" "5754864" "5761499" "5771347" "5786816" "5790796" "5802373" "5802518" "5819283" "5838918" "5850548" "5867709" "5900870" "5917489").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 18:02
S77	14585	((system near2 (stor\$3 or database)) or registry) and ((system near3 (utility or utilities or command)) or (shell near2 program\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:17
S78	2665	((system near2 (stor\$3 or database)) or registry)same ((system near3 (utility or utilities or command)) or (shell near2 program\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:18
S79	2653	((system near2 (stor\$3 or database)) or registry)same ((system near3 (utility or utilities or command)) or (shell near2 program\$4)) not micron	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:18
S80	2659	((system near2 (stor\$3 or database)) or registry)same ((system near3 (utility or utilities or command)) or (shell near2 program\$4)) not micron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:18
S81	9532	command adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 07:19
S82	186	S80 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 08:21
S83	29	(system adj storage) near5 identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 08:27

S84	26375	((system or registry) near2 (database or file)) same (id or identif\$7 or label or map\$4 or nam\$4) and (receiv\$3 or input\$4 or result or output\$4 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 08:38
S85	5831	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same (receiv\$3 or input\$4 or result or output\$4 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:53
S86	376	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 08:56
S87	376	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:53
S88	376	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 08:57
S89	7	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as. and (input\$4 near3 (system adj (storage or files or database))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:55
S90	8	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as. and (input\$4 near3 ((registry or system) adj (storage or files or database))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:03
S91	0	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as. and ("stor\$3 into registry")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:04

S92	16	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same ((receiv\$3 or input\$4) and (result or output\$4) and stor\$3) not micron.as. and ((stor\$3 or input\$4) near2 registry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 11:08
S93	4	("6675178" "6449624").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 11:08
S94	208	(command) near5 (utility or utilities) same (system or registry or configuration) same (buffer\$3 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:15
S95	24	(command) near5 (utility or utilities) near5 (system or registry or configuration) near7 (buffer\$3 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:16
S96	208	(command) near5 (utility or utilities) same (system or registry or configuration) same (buffer\$3 or stor\$3) not micron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:15
S97	24	(command) near5 (utility or utilities) near5 (system or registry or configuration) near7 (buffer\$3 or stor\$3) not micron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:25
S98	13	"command line input" near5 (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:39
S99	2	"6385204".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:38
S100	675	"keyboard input" near5 (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:39

S10 1	0	"keyboard input" near5 (utility or utilities) near5 (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:39
S10 2	10	"keyboard input" near5 (utility or utilities) and (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:46
S10 3	1844	(keyboard or "command line" or input) near5 (system near2 (maintain\$4 or updat\$3 or edit\$3 or modify\$3 or modification)) and (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:48
S10 4	197	(keyboard or "command line") near5 (system near2 (maintain\$4 or updat\$3 or edit\$3 or modify\$3 or modification)) and (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 07:49
S10 5	14	(keyboard or "command line") near5 (system near2 (maintain\$4 or updat\$3 or edit\$3 or modify\$3 or modification)) near5 (stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:00
S10 6	20981	(updat\$3 or upgrad\$3 or patch\$3 or modify or modif\$7 or edit) near5 (registry or configuration) and (keyboard or "command line" or input or text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:02
S10 7	16345	(updat\$3 or upgrad\$3 or patch\$3 or modify or modif\$7 or edit) near3 (registry or configuration) and (keyboard or "command line" or input or text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:03
S10 8	495	(updat\$3 or upgrad\$3 or patch\$3 or modify or modif\$7 or edit) near3 (system near3 (registry or configuration)) and utility and (keyboard or "command line" or input or text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:04
S10 9	57	(updat\$3 or upgrad\$3 or patch\$3 or modify or modif\$7 or edit) near3 (system near3 (registry or configuration)) same (keyboard or "command line" or input or text) and utility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 09:03
S11 2	7	("6154835").URPN.	USPAT	OR	OFF	2004/12/15 10:27
S11 3	15	("6366988").URPN.	USPAT	OR	OFF	2004/12/15 15:43

S11 4	4	("6182279").URPN.	USPAT	OR	OFF	2004/12/15 15:45
S11 5	1	("6182279").pn.	USPAT	OR	OFF	2004/12/15 15:45
S11 6	33	("4935888" "5189608" "5353401" "5367573" "5454046" "5481718" "5500802" "5517645" "5519868" "5537630" "5560014" "5603021" "5692047" "5706455" "5710920" "5710926" "5715441" "5724589" "5729748" "5754858" "5754864" "5761499" "5771347" "5786816" "5790796" "5802373" "5802518" "5819283" "5838918" "5850548" "5867709" "5900870" "5917489").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/15 15:53
S11 7	4	("6182279").URPN.	USPAT	OR	OFF	2004/12/15 15:46
S11 8	29	regedit	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/15 16:08
S11 9	3121	configuration adj management	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/15 16:08
S12 0	21	(configuration adj management) same registry	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/15 16:12
S12 1	127	edit\$3 near3 registry	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/16 07:45
S12 2	6	regsvr32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:58
S12 3	11	"regsvr32.exe"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:58
S12 4	11	S123 not S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:00

S12 5	3	command near5 (registry near2 modifications)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:02
S12 6	0	tregrsvr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:02
S12 7	36	register adj COM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:21
S12 8	92	manual\$2 near5 register and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:38
S12 9	169	(manual\$2 or command-line or (command adj line)) near5 regist\$2 and (COM OR DLL OR OCX OR OLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:39
S13 0	309	(manual\$2 or command-line or (command adj line) OR (COMMAND NEAR2 INPUT\$4)) near5 regist\$2 and (COM OR DLL OR OCX OR OLE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:44
S13 1	140	S130 NOT S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:50
S13 2	724	REGISTRY NEAR5 INTERFACE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:50
S13 3	5	S132 AND S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:51
S13 4	5845	((system or registry) near2 (database or file)) near5 (id or identif\$7 or label or map\$4 or nam\$4) same (receiv\$3 or input\$4 or result or output\$4 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:54

S13 5	84	S132 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:11
S13 6	298	interfac\$3 near5 (system adj storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:12
S13 7	0	(utility or utilities) near5 interfac\$3 near5 (system adj storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:12
S13 8	16	(output\$4 or result) near5 interfac\$3 near5 (system adj storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:22
S13 9	2	"6182279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:51
S14 0	160	register near2 dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:53
S14 1	9	register near2 dll and win32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:53
S14 2	76	register near2 dll and (win32 or windows or windows95)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:54
S14 3	24	("5758154").URPN.	USPAT	OR	OFF	2004/12/16 10:55
S14 4	48	winapi	USPAT	OR	OFF	2004/12/16 10:57
S14 5	10	winapi and registry	USPAT	OR	OFF	2004/12/16 10:57
S14 6	26	(command adj line) adj (utility or utilities) same (result or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:40

S14 7	20	register near5 dll near5 (syntax or winnt or win95 or windows)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:43
S14 8	109	register near5 dll and (syntax or winnt or win95 or windows) and (command or utility or utilities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:44
S14 9	90	S148 not S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:50
S15 0	23	DLLRegisterServer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:51
S15 1	0	(invok\$3 or instantiat\$3 or call\$3) near3 ("command line utility" or "std_in" or "standard in" or "dir" or "net view") and redirect\$3 same (stor\$3 near3 (location or address or id or identifier or file or table or structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:01
S15 2	0	(invok\$3 or instantiat\$3 or call\$3) near3 ("dir" or "net view") and redirect\$3 same (stor\$3 near3 (location or address or id or identifier or file or table or structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:02
S15 3	857	(invok\$3 or instantiat\$3 or call\$3) near3 ("dir" or "net view")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:02
S15 4	1	(invok\$3 or instantiat\$3 or call\$3) near3 ("dir" or "net view") and (redirect\$3 near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:10
S15 5	0	utility near3 ("dir" or "net view") and (redirect\$3 near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:11

S15 6	23	("dir" or "net view") and (redirect\$3 near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:37
S15 7	348	(system near3 command) and ((redirect\$3 or pip\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:40
S15 8	65	(system near3 command) and ((redirect\$3 or pip\$3) near3 output) near5 (name or location or address or id or identifier or identification or moniker or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:39
S15 9	0	(system near3 command) near5 registry and ((redirect\$3 or pip\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:41
S16 0	43	(system near3 command) and registry and ((redirect\$3 or pip\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:41
S16 1	43	(system near3 command) and (registry or "root key" or "sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:01
S16 2	4	("5650994" "5774689" "5867495" "6182157").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/15 10:57
S16 3	19	(((registry or system) near3 command) same interfac\$3) and (registry or "root key" or "sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:10
S16 4	63	(((registry or system) near3 command) same interfac\$3) and (registry or "root key" or "sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3 or direct\$3 or re-direct\$3) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:02
S16 5	144	(registry or system) same (command and interfac\$3) and (registry or "root key" or "sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:04

S16 6	125	S165 not S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:12
S16 7	5	(access\$3 near3 registry) and (command and interfac\$3) and ("root key" or "sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:59
S16 8	2	"6226692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:59
S16 9	5	(registry or system) and (command and interfac\$3) and registry and "root key" and ("sub-key" or subkey or "sub key") and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:11
S17 0	107	(registry or system) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:22
S17 1	17	(read or write or modify or access) near3 (registry) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:23
S17 2	3	(browser or web) near3 ((read or write or modify or access) near3 (registry)) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:39
S17 3	14	S171 not S172	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:26
S17 4	0	(browser or web) near3 (registry near2 edit) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:39
S17 5	0	(browser or web or internet) near3 (registry near2 edit) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:40

S17 6	0	(browser or web or internet) near3 ((registry near2 edit) or regedit) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:40
S17 7	1	((registry near2 edit) or regedit) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:43
S17 8	2	((registry near2 edit\$3) or regedit) and (command and interfac\$3) and registry and key and ((redirect\$3 or pip\$3) near3 (output or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45
S17 9	148	((registry near2 edit\$3) or regedit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45
S18 0	97	((registry near2 edit\$3) or regedit) and (web or browser or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45
S18 1	23	((registry near2 edit\$3) or regedit) same (web or browser or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45
S18 2	19	((registry near2 edit\$3) or regedit) same (web or browser or internet) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:04
S18 3	12	((registry near2 edit\$3) or regedit) near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:16
S18 4	3	((registry near2 edit\$3) or regedit) near3 key and root	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 08:55
S18 5	0	"chaining system utilities"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 08:56

S18 6	0	"piping utility output"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 08:56
S18 7	244	"system calls" near2 (output or results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 08:56
S18 8	1	"system calls" near2 (output or results) same chain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:14
S18 9	1	"system calls" near2 (output or results) same chain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:45
S19 0	0	win32 near2 api near2 (utilities or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:46
S19 1	0	(win32 or windows) near2 api near2 (utilities or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:46
S19 2	0	(win32 or windows) near5 api near5 (utilities or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:46
S19 3	1040	(win32 or windows) near3 (utilities or utility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:47
S19 4	2	(win32 or windows) near3 (utilities or utility) near5 api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 09:47

S19 5	22	("5051745" "5463772" "5745756" "5771355" "5778374" "5781901" "5813011" "5838996" "5854597" "5903723" "5907703" "5956733" "6078921" "6112211" "6157706" "6275848" "6345288" "6356937" "6381742" "6487278" "6498835" "6546417").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 09:48
S19 6	5	registry near3 utilities	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 09:49
S19 7	49	registry near3 utility	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 09:53
S19 8	614	382/181.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 09:53
S19 9	7	(invok\$3 or call\$3 or instantiat\$3) near5 "command line utility" and (location or address or identifier or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 15:42
S20 1	6	(invok\$3 or call\$3 or instantiat\$3) near5 "command line utility" and (location or address or identifier) and (writ\$3 or stor\$3 or sav\$3 or log\$4 or output or result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 15:57
S20 2	119	(("command line utility" or "command line" or (command near3 utility)) near5 (results or output)) and (registry or keyes or "shared memory" or "system database") and (writ\$3 or stor\$3 or sav\$3 or log\$4 or output or result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:01
S20 3	820	(((invok\$3 or call\$3 or instantiat\$3) near5 ("command line utility" or "command line" or "command-line")) and (location or address or identifier or parameter) and (writ\$3 or stor\$3 or sav\$3 or log\$4 or output or result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:16
S20 4	16	(modify near3 registry) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:18

S20 5	0	S203 and S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:18
S20 6	7	(modify near3 registry) and ("command line utility" or "command line" or "command-line" or regedit) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:36
S20 7	19	(install\$5 or wizard or setup or "set-up") and ((modify near3 registry) or regedit) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared)) and (key or keyes or root or "sub-key" or subkey or registry or clipboard or redirect\$3 or pipe\$1 or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:57
S20 8	27	(install\$5 or wizard or setup or "set-up" or configur\$5) and ((edit\$3 near3 registry) or (modify near3 registry) or regedit) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared)) and (key or keyes or root or "sub-key" or subkey or registry or clipboard or redirect\$3 or pipe\$1 or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:15
S20 9	8	S208 not S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 16:58
S21 0	28	(Install\$5 or wizard or setup or "set-up" or configur\$5) and ((edit\$3 near3 registry) or (modify near3 registry) or regedit or (command near3 registry) or (optimiz\$5 near3 registry) or regmon) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared)) and (key or keyes or root or "sub-key" or subkey or registry or clipboard or redirect\$3 or pipe\$1 or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:11

S21 1	28	(install\$5 or wizard or setup or "set-up" or configur\$5 or integrat\$3) and ((edit\$3 near3 registry) or (modify near3 registry) or regedit or (command near3 registry) or (optimiz\$5 near3 registry) or regmon) and (key near5 parameter) and (system near3 (database or storage or registry or memory or shared)) and (key or keyes or root or "sub-key" or subkey or registry or clipboard or redirect\$3 or pipe\$1 or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:11
S21 2	1	S211 not S208 not S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:15
S21 3	2	"6182279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:15
S21 4	125	(install\$5 or wizard or setup or "set-up" or configur\$5 or integrat\$3 or "set up") and ((edit\$3 near3 registry) or (modify near3 registry) or regedit) and (key near5 (value or offset or location or address or parameter)) and (system near3 (database or storage or registry or memory or shared)) and (key or keyes or root or "sub-key" or subkey or registry or clipboard or redirect\$3 or pipe\$1 or piping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:23
S21 5	98	S214 not S207 not S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/16 17:23
S21 6	39	create near5 (subkey or "sub-key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:05
S21 7	0	create near5 (subkey or "sub-key") and "hardcode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:06

S21 8	22	registry and "hardcode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:07
S22 0	7	registry and "hardcode" and (key or keyes or subkey or "sub-key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:11
S22 1	42358	(program or application or software) same (wizard or auto or install\$5 or interface) and ("system call" or registry or register or "set preferences" or "system API") and (key or keyes or subkey or "sub-key" or hives) and (return or value or string or "hard code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:23
S22 2	3183	(program or application or software) same (wizard or auto or install\$5 or interface) same (return or value or string or "hard code") and ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:27
S22 3	583	(program or application or software) same (wizard or auto or install\$5 or interface) same (return or value or string or "hard code") same ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:31
S22 4	201	(program or application or software) same (wizard or auto or install\$5 or interface) same (return or value or string or "hard code") near5 ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:39

S22 5	100	(program or application or software) near5 (wizard or auto or install\$5 or interface) same (return or value or string or "hard code") near5 ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:50
S22 6	21	(program or application or software) near5 (wizard or auto or install\$5 or interface) same (return or value or string or "hard code") near5 ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives) and (parameter or argument or identifier) near5 (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:03
S22 7	5	(program or application or software) near3 (retrieves or receives or get) near3 (value or string or "hard code") near5 (key or keyes or subkey or "sub-key" or hives) and ("system call" or registry or register or "set preferences" or "system API") same (key or keyes or subkey or "sub-key" or hives) and (parameter or argument or identifier) near5 (key or keyes or subkey or "sub-key" or hives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:10

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

programming the win32 registry

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 569,000 for **programming the win32 registry**. (0.25 seconds)**Programming the Win32 registry**

Now that you know these two **Win32** API functions, you can make a simple **program** that reads a value from the **registry**. Let's go through a few other notes to ...

www.geocities.com/SiliconValley/2072/prgw32rg.htm - 12k - [Cached](#) - [Similar pages](#)

Win32 Programming - CoderSource.net

Win32 Programming and Tutorials. ... **Registry** Operations using **Win32** - **Win32** NT Service - CoderSource.net. **Registry** Operations - Creating **Registry** Keys, ...

www.codersource.net/codersource_win32prog.html - 21k - [Cached](#) - [Similar pages](#)

Win32 Registry Tweaks Utility

... to manipulate basic windows options using **Registry** and gives a tool written using **win32** APIs. ... Basically this whole **program** depends on the **registry**. ...

www.codersource.net/win32_registry_tweaks.html - 33k - [Cached](#) - [Similar pages](#)

PERL Programming - Win32::Registry

Home > Archive > **PERL Programming** > January 2005 > **Win32::Registry** ... Could anyone write a quick script with the **Win32::Registry** module that would write 1 ...

www.codecomments.com/archive210-2005-1-365572.html - 6k - [Cached](#) - [Similar pages](#)

Registry API Wrapper - The Code Project - System

The **Win32 Registry** API is far too complex for simple tasks, ... Len has been **programming** for over 20 years, having first started with a Sinclair ZX-80. ...

www.codeproject.com/system/cregistrykey.asp - 58k - [Cached](#) - [Similar pages](#)

Reading from and Writing to the Registry Using the Microsoft Win32 ...

Registry should cover your basic needs when **programming** against the **registry**, you can also use the **Registry** and **RegistryKey** classes in the Microsoft **Win32** ...

msdn2.microsoft.com/en-us/library/8bf3xkta.aspx - 19k - [Cached](#) - [Similar pages](#)

Microsoft Win32 Registry StickySauce.com - C# Programming ...

StickySauce.com - **C# Programming**: Namespaces and the Base Classes

at www.stickysauce.com and contains information about **Registry** and Microsoft **Win32**. ...

www.eggheadcafe.com/index/Microsoft.Win32_Registry_370bc372-0b20-4179-b064-21fa3f6268ef.asp - 22k - [Cached](#) - [Similar pages](#)

Microsoft Win32 Registry Geekpedia • Programming tutorial: Using ...

The niche portal for experienced ASP.NET and Windows developers. Articles, forums, sample code and a customized user experience.

www.eggheadcafe.com/index/Microsoft.Win32_Registry_5c21ab8f-271e-4861-b590-8b16c6ae6b87.asp - 20k - [Cached](#) - [Similar pages](#)

146. Advanced Windows Programming Using Visual C++

It then covers advanced MFC and **Win32 programming** topics including multi-threaded

... Windows System **Registry**. System **Registry**. Win32 Registry API ...

www.objectinnovations.com/CourseOutlines/146.html - 30k - [Cached](#) - [Similar pages](#)

[ONDotnet.com: An Introduction to the .NET FCL, Part 1](#)

The function-based style of **programming** using the Win32 API has a number of ...

Registry access is also significantly simpler. The **program** relies on two ...

www.windowsdevcenter.com/pub/a/dotnet/excerpt/vbcoreclass_1/index1.html - 37k -

[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

programming the win32 registry

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google